

1941

INSTALLATION
and
SERVICE MANUAL
SEEBURG



GENERAL REMOTE CONTROL

And

GENERAL REMOTE SOUND
WALL-O-MATIC "WIRELESS" SYSTEM

Applied To

16 and 24 RECORD PHONOGRAPHS



J. P. SEEBURG CORPORATION

1510 DAYTON STREET

• CHICAGO, U. S. A.

TABLE OF CONTENTS

	Page
I. INSTALLATION	15
A. MEASURE LINE VOLTAGE ON EACH LOCATION.	15
B. BRIDGE THE 230 VOLT LINE WITH THE PROPER BRIDGING CONDENSER IN EVERY FUSE BOX ON LOCATION.	15
C. WALL-O-MATIC SELECTOR.	16
D. REMOTE RECEIVERS (REMOTE SPEAKERS OR SPEAKORGANS)	18
E. SET THE SENSITIVITY CONTROL BY THE PERFORMANCE OF THE WALL-O-MATIC WHICH TRANSMITS THE WEAK- EST SIGNAL	19
F. SENSITIVITY SETTINGS ABOVE 8 OR 9 ARE NOT RECOM- MENDED	21
G. ELIMINATE HUM AND NOISE FROM SPEAKORGANS	23
H. SOLENOID DRUM INSTALLATION IN 16 AND 24 RECORD PHONOGRAPHS.	24
1. Mechanical Work on 16 Record Mechanism.	24
2. Mounting the Solenoid Drum.	25
3. Timing the Solenoid Drum and Phonograph Mechanism	26
4. Mounting Cancel Switch.	28
5. Mounting Trip Stud and Trip Strap	28
6. Magazine Magnet	28
7. Mounting General Remote Control Equip- ment in Models 24-A, 500, 600-A, 700 and 800	29
8. Split Sprocket.	29
9. Cancel Switch on 24 Record Models 24-A, 500, 600, 700 and 800	29
I. ELECTRICAL CONNECTIONS (GENERAL)	30
1. Solenoid Drum	30
2. General Selection Receiver.	31
3. General Selection Receiver and Transmitter in 16 and 24 Record Phonographs	32
4. .1 Mfd. Condenser and 10 Ohm Resistor Across Magazine Switch Contacts	33
J. MOUNTING OF GENERAL SELECTION RECEIVERS AND TRANSMITTERS IN PHONOGRAPHS.	34
1. Mounting of General Selection Receiver in Model 24A	34

Wall-O-Matic "Wireless" System Service Manual

	Page
2. Mounting of General Transmitter in Model 24-A	35
3. Mounting of General Selection Receiver in Models 500 and 600A	35
4. Mounting of General Transmitter in Models 500 and 600A	36
5. Mounting of General Selection Receiver in Model 616	36
6. Mounting of General Transmitter in Model 616	37
7. Mounting of General Selection Receiver in Model 700	37
8. Mounting of General Transmitter in Model 700	38
9. Mounting of General Selection Receiver in Model 716	38
10. Mounting of General Transmitter in a Model 716	39
11. Mounting of General Selection Receiver in Model 800	39
12. Mounting of General Transmitter in Model 800	40
II. FUNCTION OF REMOTE CONTROL COMPONENTS.	41
A. REMOTE SELECTOR.	41
B. GENERAL SELECTION RECEIVER	41
C. SOLENOID DRUM ASSEMBLY	42
D. GENERAL TRANSMITTER.	44
E. REMOTE RECEIVER.	44
F. SPEAKORGAN	45
G. OPERATION OF THE DRUM CANCEL SOLENOID.	46
III. OPERATION AND MAINTENANCE.	47
A. WALL-O-MATIC SELECTOR.	47
1. Slugproof Mechanism	49
2. Coin Box.	49
3. Lights.	49
4. Lubrication	49
5. Coin Controlled Relay	50
6. Selector Buttons.	50